



LUKOIL TRANSMISSION **OILS** –
READY FOR THE **FUTURE**

Quicker - further - cheaper. For European companies, the economic environment has changed critically over the last few years.

International competition has become fiercer and in light of sinking margins, quality is becoming ever more important as a distinguishing feature. At LUKOIL Lubricants, we have always considered the highest quality in products, selection and customer service to be one of our company's central formulae for the future.

AND OUR SUCCESS PROVES US RIGHT.

QUALITY FROM AUSTRIA

In our state-of-the-art production facilities in the Lobau, Vienna, in Finland and in Romania, we manufacture over 40,000 tonnes of lubricant every year, using first-class source materials and innovative technologies. Our engineers, chemists and industry specialists work constantly to further develop and expand our product range.

COMPREHENSIVE CUSTOMER SERVICE

Customer service is the primary objective of our day-to-day work and is provided at all times by our highly-trained customer advisers and engineers. Our employees communicate intensively with our customers, so as to better understand their individual problems and then offer quickly tailored solutions. These may include not only new products, but also solutions from various areas, such as waste processing, packaging, marketing, logistics and process optimisation.

SHORT TRANSPORT ROUTES

Having the perfect European production facilities in almost every corner of Europe means that our experienced logistics team is able to transport our products to our customers extremely quickly and efficiently, and thus provide on-time delivery.

We look forward to being able to count you among our satisfied customers very soon and would love to be able to provide you with more detailed information on the rest of our versatile product range. Please contact our staff in the sales team to arrange an appointment.

AUTOMOTIVE TRANSMISSION OILS

MANUAL TRANSMISSION – CARS

Product name	Descriptions	Quality level	Approvals
LUKOIL TRANSMISSION SLY 75W-90 Prod.-Nr.: 583240	LUKOIL TRANSMISSION SLY 75W-90 is a synthetic, manual transmission oil for cars that guarantees the highest level of comfort when shifting gears, even at low winter temperatures.	API GL-4+ VW 501.50	

MANUAL TRANSMISSION – COMMERCIAL VEHICLES

Product name	Descriptions	Quality level	Approvals
LUKOIL TRANSMISSION SYNTH MPX 75W-80 Prod.-Nr.: 583060	LUKOIL TRANSMISSION SYNTH MPX 75W-80 is a fully synthetic, fuel-efficient manual transmission oil, specially designed to allow extremely long oil change intervals in commercial vehicles.	EATON Transmission ZF TE-ML 08	MAN 341 Type E4 MAN 341 Type VR MB-Approval 235.29 Voith Retarder VOLVO 97307
LUKOIL TRANSMISSION SYNTH MPX 75W-90 Prod.-Nr.: 583070	LUKOIL TRANSMISSION SYNTH MPX 75W-90 is a fully synthetic, fuel-efficient manual transmission oil, specially designed to allow extremely long oil change intervals in commercial vehicles.	API GL-4 MAN 341 TYPE MB ZF-TE-ML 08	MB-Approval 235.11
LUKOIL TRANSMISSION LDI 75W-80 Prod.-Nr.: 583620	LUKOIL TRANSMISSION LDI 75W-80 is a synthetic, fuel-efficient manual transmission oil, specially designed to allow extremely long oil change intervals in commercial vehicles.	API GL-4 DAF IVECO Renault VOLVO 97305 ZF-TE ML 01L, 07A, 08	MAN 341 Type E3 MAN 341 Type Z4 VOLVO 97307 ZF-TE-ML 02L, 16K
LUKOIL TRANSMISSION MP 80W-85 Prod.-Nr.: 583010 LUKOIL TRANSMISSION MP 85W-90 Prod.-Nr.: 583020	LUKOIL TRANSMISSION MP are mineral transmission oils with a high pressure absorption capacity, primarily for manual transmissions.	API GL-4 ZF-TE-ML 08 nur MP 80W-85: ZF TE-ML 16A, 17A, 19A nur MP 85W-90: MIL-L-2105	MB-Approval 235.1 nur MP 85W-90: ZF TE-ML 16A, 17A, 19A
LUKOIL TRANSMISSION V 80W-90 Prod.-Nr.: 582016	LUKOIL TRANSMISSION V 80W-90 is a multi-purpose transmission oil specifically for Volvo truck manual transmissions.	API GL-3, VOLVO 97305, ZF TE-ML 08	

AUTOMOTIVE TRANSMISSION OILS

AXLE TRANSMISSION OILS – COMMERCIAL VEHICLES

Product name	Descriptions	Quality level	Approvals
LUKOIL TRANSMISSION SYNTH BSX 75W-90 Prod.-Nr.: 583270	LUKOIL TRANSMISSION SYNTH BSX 75W-90 is a fully synthetic, fuel-efficient axle transmission oil, primarily for use in commercial vehicles, suitable for the highest stresses and offering extremely long oil change intervals.	API GL-5 MAN 341 Type Z2 MIL PRF 2105 E ZF-TE-ML 02B, 05B, 07A, 08, 12L, 12N, 16F, 17B, 19C, 21B	MAN 342 Type S1 MB-Approval 235.8 Scania STO 1:0 VOLVO 97312
LUKOIL TRANSMISSION SYNTH BSV 75W-90 Prod.-Nr.: 583275	LUKOIL TRANSMISSION SYNTH BSV 75W-90 is a synthetic, fuel-efficient axle transmission oil, primarily for use in VOLVO commercial vehicles, suitable for the highest stresses and offering extremely long oil change intervals.	API GL-5 DAF Meritor Europe – Extended Drain Meritor 076-Q SAE J2360 ZF-TE-ML 05A, 12N, 16F, 17B, 19C, 21A	MAN 341 Type M2 Scania STO 1:0 VOLVO 97312
LUKOIL TRANSMISSION B 80W-90 Prod.-Nr.: 583220 LUKOIL TRANSMISSION B 85W-90 Prod.-Nr.: 583210	LUKOIL TRANSMISSION B are mineral axle transmission oils, primarily for use in commercial vehicles with standard oil change intervals.	API GL-5 nur B 80W-90: MAN 342 Typ M1 MB 235.0 MIL-L-2105D VOITH 3.325-339 Volvo 97310 ZF-TE-ML 07A, 08, 16B, 17B, 19B, 21A nur B 85W-90: FORD M2C-94A FENDT NH 520 STEYR G TATRA TDS 80/32 VOITH VSN 6086/19/20	nur B 85W-90: MAN 342 Typ M-1 MB-Approval 235.0 ZF TE-ML 07, 08, 16C, 17B, 19B, 21A
LUKOIL TRANSMISSION LD 80W-90 Prod.-Nr.: 583630	LUKOIL TRANSMISSION LD 80W-90 is a mineral axle transmission oil that has been developed primarily for commercial vehicles, offering high load-bearing capacity, improved thermal stability and, therefore, longer oil change intervals.	API GL-5 API MT-1 MIL PRF 2105 E SAE J2360 ZF-TE-ML 05A, 07A, 12L, 12M, 16B, 17B, 19B, 21A	MAN 341 GA1 MAN 342 M3 MB-Approval 235.20
LUKOIL TRANSMISSION LS 85W-90 Prod.-Nr.: 582520	LUKOIL TRANSMISSION LS 85W-90 is a transmission oil with special additives (limited slip) for use in axle transmissions with self-locking differential, in line with the manufacturer specification.	API GL-5 ZF-TE-ML 16E nur LS 85W-90: ZF TE-ML 07A, 08	ZF-TE-ML 05C, 12C, 21C

AUTOMOTIVE TRANSMISSION OILS

MANUAL AND AXLE TRANSMISSION

Product name	Descriptions	Quality level	Approvals
LUKOIL TRANSMISSION UNI S 75W-90 Prod.-Nr.: 583520	LUKOIL TRANSMISSION UNI S 75W-90 is a fuel-efficient, fully synthetic, high-performance universal transmission oil for manual and axle transmissions, in line with the manufacturer specification.	API GL-4 API GL-5 API MT-1 MAN 341 Type E2 MAN 341 Type E3 MAN 342 M3 MB 235.0 MB 235.8 MIL PRF 2105 E SAE J2360 Scania STO 1:0 VOLVO 97312 ZF-TE-ML 07A, 08, 12B	MAN 341 Type Z2 MAN 342 Type S1 ZF-TE-ML 02B, 05B, 12L, 12N, 16F, 17B, 19C, 21B
LUKOIL TRANSMISSION UNI S 75W-140 Prod.-Nr.: 583535	LUKOIL TRANSMISSION UNI S 75W-140 is a fully synthetic high-performance universal transmission oil for manual and axle transmissions, in line with the manufacturer specification. Recommended for manual and axle transmissions in SCANIA trucks.	API GL-5 API MT-1 SAE J2360 Scania STO 1:0 Volvo 97310 ZF-TE-ML 05A, 07A, 08, 12B, 16F, 21A	

MANUAL TRANSMISSION – CARS

Product name	Descriptions	Quality level	Approvals
LUKOIL TRANSMISSION UNI 80W-90 Prod.-Nr.: 583510	LUKOIL TRANSMISSION UNI 80W-90 is a mineral, high-performance, universal transmission oil for manual and axle transmissions, in line with the manufacturer specification.	API GL-4 API GL-5 API MT-1 ARVIN MERITOR 0-76-D MAN 341 Type E2 MB 235.0 MIL PRF 2105 E SAE J2360 Scania STO 1:0 ZF-TE-ML 05B, 07A, 08, 16C, 19C, 21B	MAN 341 Type Z2 MAN 342 M-2 ZF-TE-ML 02B, 05A, 12L, 12M, 16B, 17H, 19B, 21A
LUKOIL TRANSMISSION B 80W-140 Prod.Nr.: 583233 LUKOIL TRANSMISSION B 85W-140 Prod.-Nr.: 583234	LUKOIL TRANSMISSION B are mineral transmission oils for axle transmissions, in line with the manufacturer specification. Recommended for manual and axle transmissions in SCANIA trucks.	API GL-5 MIL-L-2105D Volvo 97310 ZF TE-ML 07A, 08, 16D, 21A	

AUTOMOTIVE TRANSMISSION OILS

FLUIDS FOR AUTOMATIC TRANSMISSION

Product name	Descriptions	Quality level	Approvals
LUKOIL ATF SYNTH Prod.-Nr.: 583320	LUKOIL ATF SYNTH is a fully synthetic, red-dyed, high-performance transmission fluid. Its extremely advantageous viscosity-temperature behaviour guarantees highly accurate gear shifting across wide temperature ranges. Suitable for today's automatic transmissions, for example, Mercedes 5-speed and VW Tiptronic.	Allison C-4 Ford MERCON GM DEXRON II-E MAN 339 L1 VOLVO 97335 ZF-TE-ML 11A, 21L	MAN 339 V2 MAN 339 Z2 MB-Approval 236.8 RBAS Lubricant Class TE-ML 09X, VOITH H55.6336.xx ZF-TE-ML 04D, 14B, 16L
LUKOIL ATF SYNTH MN Z3 Prod.-Nr.: 583335	LUKOIL ATF SYNTH MN Z3 is a high-quality universal automatic transmission fluid that has been developed for commercial vehicle and car applications. It has a low viscosity-temperature dependence (high viscosity index) and excellent ageing properties.	Allison C-4 Allison TES-295 Allison TES-389 Ford MERCON Ford MERCON V GM DEXRON II-D GM DEXRON III-G GM DEXRON III-H JASO 1-A MAN 339 L1 MAN 339 Z12 MB 236.6 RBAS TE-ML 09 VOLVO 97341 ZF-TE-ML 11A, 11B, 16L, 21L	MAN 339 V2 MAN 339 Z3 VOITH H55.6336.xx ZF-TE-ML 04D, 14C, 16M, 20C
LUKOIL ATF SYNTH M15 Prod.-Nr.: 583325	LUKOIL ATF SYNTH M15 is an automatic transmission fluid for service top-ups for 7-speed automatic transmissions installed in Mercedes.		MB-Approval 236.15

AUTOMOTIVE TRANSMISSION OILS

FLUIDS FOR AUTOMATIC TRANSMISSION

Product name	Descriptions	Quality level	Approvals
LUKOIL ATF SYNTH M14 Prod.-Nr.: 583326	LUKOIL ATF SYNTH M14 is a synthetic, red-dyed transmission fluid and is specified for use in the latest 7-gear automatic transmissions (NAG 2 type 722.9) from MERCEDES BENZ. LUKOIL ATF SYNTH M14 is reverse-compatible with all 5-gear automatic transmissions (type 722.6) and has also proven to be ideally suited to older automatic transmissions suffering from falling comfort when shifting gears.	MB 236.10 MB 236.11 MB 236.12 ZF-TE-ML 11A, 11B	MB-Approval 236.14
LUKOIL ATF SYNTH MULTI Prod.-Nr.: 583340	LUKOIL ATF SYNTH MULTI is a high-quality, universal automatic transmission fluid for cars and commercial vehicles. It has a low viscosity-temperature dependence (high viscosity index) and excellent ageing properties.	Allison C-4 Allison TES-295 Allison TES-389 Ford MERCON Ford MERCON V GM DEXRON III-H JASO 1-A VOLVO 97340	MAN 339 L1 MAN 339 V2 MAN 339 Z1 MAN 339 Z2 MB-Approval 236.6, VOITH H55.6336.xx VOLVO 97341 ZF-TE-ML 04D, 14B, 16L, 20B
LUKOIL ATF SYNTH CVT Prod.-Nr.: 583345	LUKOIL ATF SYNTH CVT is a high-quality automatic transmission fluid for continuously variable transmission in cars. It exhibits excellent anti-foaming properties and has no negatives effects on sealing materials. Improved anti-corrosion properties provide reliable protection for all system components.	Daihatsu CVTF DFE Daihatsu CVTF-DC Dodge / Jeep CVTF+4 Dodge / Jeep NS-2 FORD CVT 30 Ford CVT23 FORD MERCON C GM CVT Honda HFC-2 Honda HMMF Hyundai / Kia SP-III Hyundai Genuine CVTF MB 236.20 MINI ELZ 799 Mitsubishi CVTF-Diaqueen J1 Mitsubishi CVTF-Diaqueen J4 Mitsubishi CVTF-Diaqueen SP-III Nissan NS-2 Nissan NS-3 Punch Powertrain CVTF EX-1 Punch Powertrain CVT-PPT Punch Powertrain EZL799A Subaru CVTF Subaru NS-2 Suzuki CVT Green 1 Suzuki CVT Green 2 Suzuki NS-2 Suzuki TC Toyota TC Volkswagen / Audi G 052 180 Volkswagen / Audi G 052 516	

AUTOMOTIVE TRANSMISSION OILS

FLUIDS FOR AUTOMATIC TRANSMISSION

Product name	Descriptions	Quality level	Approvals
LUKOIL ATF SYNTH VI Prod.-Nr.: 583346	LUKOIL ATF SYNTH VI is a high-quality automatic transmission fluid that has been developed for cars and light commercial vehicles. It has a low viscosity-temperature dependence and provides excellent protection against foam formation. This fluid has no negative effects on the sealing materials. Improved anti-corrosion properties provide reliable protection for all system components.	Bentley PY112995PA BMW/MINI 83 22 0 142 516 BMW/MINI 83 22 0 163 514 BMW/MINI 83 22 0 397 114 BMW/MINI 83 22 2152426 Chrysler 05127382AA Chrysler 68043742AA Chrysler 68157995AA Ford XT-10-QLV Ford XT-6-DSP Ford XT-6-QSP GM 88863400 GM 88863401 GM AW1 Honda DW-1 Hyundai/Kia NWS-9638 T-5 Hyundai/Kia P/N 040000C90SG Hyundai/Kia SPH-IV Hyundai/Kia SP-IV Jaguar Fluid 8432 JASO M315 1A Land Rover LR0022460 Land Rover TYK500050 Maserati 231603 Mazda FZ MB 236.12 MB 236.14 MB 236.15 MB 236.41 Mitsubishi ATF-J3 Nissan Matic S Porsche 000 043 304 00 Saab 93 165 147 - AW-1 Toyota Type WS Volkswagen / Audi G 052 533, Volkswagen / Audi G 055 005 (-A; A2), Volkswagen / Audi G 055 162 (A2/A6), Volkswagen / Audi G 055 540 (A2), Volkswagen / Audi G 060162 A1/A2/A6	GM DEXRON VI

AUTOMOTIVE TRANSMISSION OILS

FLUIDS FOR AUTOMATIC TRANSMISSION

Product name	Descriptions	Quality level	Approvals
LUKOIL ATF III Prod.-Nr.: 583330	LUKOIL ATF III is a synthetic, red-dyed, universal-use, high-performance transmission fluid for manual and automatic transmission, as well as power steering in line with the manufacturer specification. Its excellent low-temperature properties and low viscosity-temperature dependence guarantee precise gear shifts over wide temperature ranges.	Allison C-4 Ford MERCON GM DEXRON III-G RBAS TE-ML 09 VOLVO 97340 ZF-TE-ML 11B	MAN 339 V1 MAN 339 Z1 MB-Approval 236.6 VOITH H55.6335.XX ZF-TE-ML 04D, 14A
LUKOIL ATF IID Prod.-Nr.: 583311	LUKOIL ATF IID is a universal-use, red-dyed transmission fluid for manual and automatic transmission, as well as power steering in line with the manufacturer specification. Its very good low-temperature properties and low viscosity-temperature dependence guarantee precise gear shifts over wide temperature ranges.	Allison C-4 Caterpillar TO-2 Ford MERCON GM DEXRON II-D MAN 339 Typ L2 RBAS TE-ML 09 VOLVO 97335 ZF-TE-ML 17C, 21L	MAN 339 V1 MAN 339 Z1 MB-Approval 236.6 VOITH H55.6335.XX ZF-TE-ML 04D, 11A, 14A
LUKOIL ATF Prod.-Nr.: 583315	LUKOIL ATF is a universal-use, partly synthetic automatic transmission oil that has been developed for use in both cars and trucks.	Allison C-4 Caterpillar TO-2 GM DEXRON II-D GM DEXRON III-G MAN 339 Type D MAN 339 Type F RBAS TE-ML 09 VOLVO 97340 VOLVO 97341 ZF-TE-ML 11A, 11B, 17C	BELAZ MAN 339 L1 MAN 339 V1 MAN 339 Z1 VOITH H55.6335.XX ZF-TE-ML 04D, 14A

It's a matter of trust



MADE in AUSTRIA



www.lukoil-lubricants.eu



LUKOIL Lubricants Europe GmbH
Headquarter Vienna
1220 Vienna, Uferstrasse 8

Scan the QR code for more information:



LUKOIL GENESIS
DEVELOPED INTERNATIONALLY –
REFINED IN AUSTRIA

